



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBT18635-1
Job Sheet 198282



Part No: RBT18635-1

Job Qty: 4 pcs

Part Name: Adapter Bushing



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 7/24/19

Job Tracking No:

Created By: Marie Lajeunesse

Due Date: 9/18/19

Description:

Type: SOLD

Note: DWG RBT18635 Rev 2A IPP Rev A 18.04.06 new issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
120	Conventional Lathe - 1	4 pcs	9/18/19		0.00	0.50	Conventional Lathe - 1		
							Conventional Lathe - 2		
130	QC 2	4 pcs	9/18/19		0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 57		
							QC 2 - 62		
							QC 2 - 63		
							QC 2 - 8		
							QC 2 - 66		
							QC 2 - 64		



DART Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaero.com

Container No: S213879



Part: RBT18635-1

Job No: 198282

Serial No/Batch: S213879

Revision: 2A


Inspector:

Exp Date:

Instructions:

Date: 09/19/19

Plex 7/24/19 1:19 PM Dart.lajeunesse.marie

					QC 2 - 65	
					QC 2 - 5	
					QC 2 - 71	
					QC 2 - 73	
					QC 2 - 69	
140 Conventional Mill - 1 - B4B	4 pcs	9/18/19	0.00 0.33		Conventional Mill - 1 - B4B	
					Conventional Mill - 2 - B4B	
150 QC 2	4 pcs	9/18/19	0.00 0.00		QC 2 - 1	
					QC 2 - 12	
					QC 2 - 14	
					QC 2 - 17	
					QC 2 - 19	
					QC 2 - 2	
					QC 2 - 20	
					QC 2 - 22	
					QC 2 - 23	
					QC 2 - 25	
					QC 2 - 32	
					QC 2 - 33	
					QC 2 - 35	
					QC 2 - 39	
					QC 2 - 4	
					QC 2 - 40	
					QC 2 - 44	
					QC 2 - 45	
					QC 2 - 48	
					QC 2 - 49	
					QC 2 - 50	
					QC 2 - 51	
					QC 2 - 52	
					QC 2 - 57	
					QC 2 - 62	
					QC 2 - 63	
					QC 2 - 8	
					QC 2 - 66	
					QC 2 - 64	
					QC 2 - 65	
					QC 2 - 5	
					QC 2 - 71	
					QC 2 - 73	
					QC 2 - 69	
160 QC 8	4 pcs	9/18/19	0.00 0.00		QC 8 - 12	
					QC 8 - 14	
					QC 8 - 17	
					QC 8 - 20	
					QC 8 - 25	
					QC 8 - 3	
					QC 8 - 32	
					QC 8 - 33	
					QC 8 - 35	
					QC 8 - 39	
					QC 8 - 4	
					QC 8 - 44	
					QC 8 - 45	
					QC 8 - 49	
					QC 8 - 58	
					QC 8 - 8	

				QC 8 - 9	
				QC 8 - 68	
				QC 8 - 67	
				QC 8 - 1 (A)	
				QC 8 - 47	
				QC 8 - 40	
				QC 8 - 52	
				QC 8 - 23	
				QC 8 - 57	
170	Outsource - 12 - Black Oxide	4 pcs	9/18/19	GRO002-VC	10
					<i>2019-09-17</i>
180	Packaging 2-1 - Receive - B4B	4 pcs	9/18/19	0.00 0.00	Packaging 2 - 1 - B4B
					Packaging 2 - 2 - B4B
					Packaging 2 - 3 - B4B
					Packaging 2 - 5 - B4B
					Packaging 2 - 4 - B4B
					Packaging 2 - 6 - B4B
					Packaging 2 - 7 - B4B
					Packaging 2 - 8 - B4B
					Packaging 2 - 9 - B4B
					Packaging 2 - 10 - B4B
					Packaging 2 - 11 - B4B
					Packaging 2 - 12 - B4B
					Packaging 2 - 13 - B4B
					Packaging 2 - 14 - B4B
					Packaging 2 - 15 - B4B
					Packaging 2 - 16 - B4B
					Packaging 2 - 17 - B4B
					Packaging 2 - 18 - B4B
					Packaging 2 - 19 - B4B
					Packaging 2 - 20 - B4B
					Packaging 2 - 21 - B4B
					Packaging 2 - 22 - B4B
					Packaging 2 - 23 - B4B
					Packaging 2 - 24 - B4B
					Packaging 2 - 25 - B4B
					Packaging 2 - 26 - B4B
					Packaging 2 - 27 - B4B
					Packaging 2 - 28 - B4B
					Packaging 2 - 29 - B4B
					Packaging 2 - 30 - B4B
					Packaging 2 - 31 - B4B
					Packaging 2 - 32 - B4B
					Packaging 2 - 33 - B4B
					Packaging 2 - 34 - B4B
					Packaging 2 - 35 - B4B
					Packaging 2 - 36 - B4B
190	QC 6	4 pcs	9/18/19	0.00 0.00	QC 6 - 9
					QC 6 - 68
					QC 6 - 61
					QC 6 - 40
					QC 6 - 81
200	Packaging 3-1 - Stock - B4B	4 pcs	9/18/19	0.00 0.00	Packaging 3 - 1 - B4B
					Packaging 3 - 2 - B4B
					Packaging 3 - 3 - B4B
					Packaging 3 - 4 - B4B
					Packaging 3 - 5 - B4B
					Packaging 3 - 6 - B4B
					Packaging 3 - 7 - B4B
Plex 7/24/19 1:19 PM Dart.lajeunesse.marie					

				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
210	QC 21 - SA	4	9/18/19	0.00 0.00	QC 21 - SA - 21
		pcs			QC 21 - SA - 70
					QC 21 - SA - 53

SEP 2 6 2019
21
9-53

Part Op 120 - Manufacture as per dwg - Machine as per DWG
 Descriptions: 130 - QC2- Inspect parts off machine FAI/FAIB
 140 - Manufacture as per dwg - Drill and tap hole as per DWG.
 150 - QC2- Inspect parts off machine FAI/FAIB
 160 - QC8- Inspect parts - second check)
 170 - -Issue P/O to Groupe Altech; PO 44523 -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Certificate of Conformity is required
 180 - Receive & Inspect for Damage & Mat'l Certs
 190 - QC6- All purchased or subcontracted products
 200 - Identify as per dwg & Stock Location:
 210 - QC21- Final Inspection - Work Order Release

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
MT-1144-R0.625	AISI 1144 Stressproof Round Bar 0.625"	.3000 ft (.075 ea)	120-Conventional Lathe - 1	S203378

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
120-Conventional Lathe - 1	MT-1144-R0.625	0	1	0

Part Specifications

Specifications could not be found.

Plex 7/24/19 1:19 PM Dart.lajeunesse.marie

Entered: _____ Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐



Job: _____ Part No. _____		DISPOSITION				DEPARTMENT/PROCESS																																																																															
		Rework ☐ Scrap ☐ Use-as-is ☐				Skid-tube ☐ Machining ☐ Large Fab ☐		Cross tube ☐ Small Fab ☐ Finishing ☐		Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐		Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐																																																																									
Date :	Sequence #:	QTY Affected :		MRB (QS1042)																																																																																	
Description Work Order Deviation				Disposition																																																																																	
Root Cause <table border="1"><tr><td>Operator</td><td>☐</td></tr><tr><td>Manufacturing Process</td><td>☐</td></tr><tr><td>Equip/Tooling</td><td>☐</td></tr><tr><td>Handling/Preservation</td><td>☐</td></tr><tr><td>Material</td><td>☐</td></tr><tr><td>Product Improvement</td><td>☐</td></tr><tr><td>Process Improvement</td><td>☐</td></tr><tr><td>Human Factors</td><td>☐</td></tr></table>				Operator	☐	Manufacturing Process	☐	Equip/Tooling	☐	Handling/Preservation	☐	Material	☐	Product Improvement	☐	Process Improvement	☐	Human Factors	☐	FAULT CATEGORY <table border="1"><tr><td>Pressure/Forced</td><td>☐</td><td>Contamination</td><td>☐</td><td>Power Loss/Surge</td><td>☐</td><td>Positioned Wrong</td><td>☐</td></tr><tr><td>Bending</td><td>☐</td><td>Misaligned/off center</td><td>☐</td><td>Folio/Program</td><td>☐</td><td>Outside Tolerance</td><td>☐</td></tr><tr><td>Crushing</td><td>☐</td><td>BOM/Route</td><td>☐</td><td>Grain Direction</td><td>☐</td><td>Drawing</td><td>☐</td></tr><tr><td>Cracks</td><td>☐</td><td>Broken/Damage/Defect</td><td>☐</td><td>Weld</td><td>☐</td><td>Finish</td><td>☐</td></tr><tr><td>Crimp/Kink/Ripple/Wave/Twist</td><td>☐</td><td>Incomplete/Unclear Instructions</td><td>☐</td><td>Wrong Stock Pulled</td><td>☐</td><td>Part Lost/Missing</td><td>☐</td></tr><tr><td>Marks/Chatter</td><td>☐</td><td>Drill Holes</td><td>☐</td><td>Out of Sequence</td><td>☐</td><td>Misread</td><td>☐</td></tr><tr><td>Mislabeled</td><td>☐</td><td>Fit/Function</td><td>☐</td><td>Off-set/Set-up</td><td>☐</td><td></td><td></td></tr></table> Other/Details:										Pressure/Forced	☐	Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐	Bending	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐	Crushing	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐	Crimp/Kink/Ripple/Wave/Twist	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐	Marks/Chatter	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐	Mislabeled	☐	Fit/Function	☐	Off-set/Set-up	☐		
				Operator	☐																																																																																
				Manufacturing Process	☐																																																																																
Equip/Tooling	☐																																																																																				
Handling/Preservation	☐																																																																																				
Material	☐																																																																																				
Product Improvement	☐																																																																																				
Process Improvement	☐																																																																																				
Human Factors	☐																																																																																				
Pressure/Forced	☐	Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐																																																																														
Bending	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐																																																																														
Crushing	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐																																																																														
Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐																																																																														
Crimp/Kink/Ripple/Wave/Twist	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐																																																																														
Marks/Chatter	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐																																																																														
Mislabeled	☐	Fit/Function	☐	Off-set/Set-up	☐																																																																																
Completed By																																																																																					
Lead hand / Supervisor																																																																																					
QC / QA Coordinator																																																																																					



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044523



Supplier: GRO002-VC
Group Altech
2455 Halpern
St Laurent
QC
H4S 1N9 Canada
Phone: 514-335-3666
Fax: 514-335-3868

Attention: Grenon, Sylvie

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: POHB044523

PO Date: 9/17/19

Due Date: 9/25/19

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Guerin, Kimberley
Phone: 613-632-5200 Ext: 298
kguerin@dartaero.com

Via: Ground

Pynt Terms: Net 60

Freight Terms:

Special Comments:

E-MAILED
219-11-20

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	198284	RBT18635-3	Spud -Issue P/O to Groupe Altech; PO -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Certificate of Conformity is required	Firmed	-	9/25/19	4 pcs	0 pcs	4 pcs	\$5.96/pcs	\$23.84
2	198282	RBT18635-1	Adapter Bushing -Issue P/O to Groupe Altech; PO -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Certificate of Conformity is required	Firmed	-	9/25/19	4 pcs	0 pcs	4 pcs	\$0.99/pcs	\$3.96



Dart Aerospace Ltd.
1270 Aberdeen St.
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044523



Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
3	200410	RBW5605G00651-3G-1	Shoe -Issue P/O; -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	9/25/19	1 pcs	0 pcs	1 pcs	\$1.11/pcs	\$1.11
				X1							DP
											SEP 2 7 2019
4	198052	RBW6405G04132-3G-6	Rod -Issue P/O; -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; Stress Proof -Certificate of Conformity is required	Firmed	-	9/25/19	5 pcs	0 pcs	5 pcs	\$9.90/pcs	\$49.50
				X5							DP
											SEP 2 5 2019
5	196252	RBSC7028-P-5	Cutter Issue P/O to Groupe Altech; PO -Black oxide finish, MIL-C-13924C Class 1 -Certificate of Conformity is required	Firmed	-	9/25/19	10 pcs	0 pcs	10 pcs	\$2.87/pcs	\$28.70
				X10							DP
											SEP 2 3 2019



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044523



Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
6	199561	RBW6522A00231-W142AK-3T	Tail Rotor Gear Box/Mast Output Oil Seal Assembly Press Tool (Outside Processing - Black Oxide) -Issue P/O to Groupe Altech -Black oxide finish, MIL-C-13924C Class 1 -Certificate of Conformity is required	Firmed	-	9/25/19	6 pcs	0 pcs	6 pcs	\$8.43/pcs	\$50.58
7	196076	RBW5605G00251-3G-3	Handle -Issue P/O; -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF- 16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; -Certificate of Conformity is required	Firmed	-	9/25/19	1 pcs	0 pcs	1 pcs	\$1.51/pcs	\$1.51
8	196078	RBW5605G00351-3G-3	Handle -Issue P/O; -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF- 16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; Tool steel -Certificate of Conformity is required	Firmed	-	9/25/19	1 pcs	0 pcs	1 pcs	\$1.48/pcs	\$1.48



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044523



Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
9	196079	RBW5605G00551-3G-3	Handle -Issue P/O; -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; Tool steel -Certificate of Conformity is required	Firmed	-	9/25/19	1 pcs	0 pcs	1 pcs	\$1.41/pcs	\$1.41
Grand Total:											\$162.09

Order Notes

Procurement Quality Clauses
 A005 right of entry
 A012 chemical and physical test report
 A016 personnel qualification
 A017 raw material identification (as applicable)

A022 Apical Processing
 A024 process certifications
 A026 certification of material conformance

A041 quality management system
 A042 dart notification by supplier
 A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 9/20/19 11:02 AM Dart.Guerin.Kimberley



Certificat de Conformité / Certificate of Compliance

(022506-2)

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9
 Tel: 514-335-3666 Fax: 514-335-3868
 www.groupaltech.com

Bon de Livraison / Packing Slip

022506 - 2

Livré à / Ship to

DART AEROSPACE LTD
 1270 ABERDEEN STREET
 HAWKESBURY, ON, K6A1K7
 CANADA
 Tel.: 613-632-5200 Fax.:

Client / Customer:

DART AEROSPACE LTD
 1270 ABERDEEN STREET
 HAWKESBURY, ON, K6A1K7
 CANADA
 BUYER:

Date expédition Ship date		Créé Par Generated By	Transport / No de Compte Courier / Acc. No.	Bon de commande Client Customer Purchase Order No.				
24-Sep-2019		Jigar Patel		POHB044523				
#Ligne Line#	No. de Série / # Pièce Part Number / Line Item Details Job # / Ref #	Description pièce(s)	CATG. U/M	Quantités / Quantities				
				Comm. /Ordered	Exp/ Shipped	Qté NC/ NC Qty	Qté Scrap/ Scrap	À venir/ Back Order
1	RBT18635-3 Rev.	RBT18635-3 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE3 CLASS 1 WIPE OFF EXCESS OIL	BLACK-OXIDE CH	4	4	0	0	0
2	RBT18635-1 Rev.	RBT18635-1 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE3 CLASS 1 WIPE OFF EXCESS OIL	BLACK-OXIDE CH	4	4	0	0	0
4	RBW6405G04132-3G-6 Rev.	RBW6405G04132-3G-6 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE3 CLASS 1 WIPE OFF EXCESS OIL	OXIDE-BLACK CH	5	5	0	0	0
7	RBW5605G00251-3G-3 Rev.	RBW5605G00251-3G-3 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE3 CLASS 1 WIPE OFF EXCESS OIL	OXIDE-BLACK CH	1	1	0	0	0
8	RBW5605G00351-3G-3 Rev.	RBW5605G00351-3G-3 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE3 CLASS 1 WIPE OFF EXCESS OIL	OXIDE-BLACK CH	1	1	0	0	0
9	RBW5605G00551-3G-3 Rev.	RBW5605G00551-3G-3 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY THIN LAYER OF OIL MIL-PRF-16173 GRADE3 CLASS 1 WIPE OFF EXCESS OIL	OXIDE-BLACK CH	1	1	0	0	0

RECEIVED

SEP 24 2019

DART AEROSPACE LTD.

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9
Tel: 514-335-3666 Fax: 514-335-3868
www.groupaltech.com

022506 - 2

Tel.: 613-632-5200 Fax:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY, ON, K6A1K7
CANADA
BUYER:

Notes Additionnelles / Additional Notes

Réçu par
Received By

We hereby certify that the parts listed above have been process in accordance with your purchase order and specifications and are in conformance with your requirements. Our financial and legal responsibility will not be higher than the amount of invoice.